

## FRAME KIT

### color: **RED MATADOR**


The Cinelli crown jewel: our most advanced steel frame, made with the best materials and the highest technological quality. The Standard XCR tubing is a seamless tube in bi-phasic stainless steel, to create a light, unparalleled vibration-absorbing, eternal bicycle frame. Pure state of the art. Available in 5 standard sizes as well as custom sizing.





## **XCR STAINLESS STEEL**

The austenite parts in the martensite structure generate a particular elastic response of the tubes of the frame, for unique handling that creates a more direct, spontaneous bond with the road, especially in downhill stretches and at high speeds. The XCR steel has better weight/stiffness ratio compared to aluminum and titanium alloys. Oversize head tube with the 1,5" Columbus Futura Caliper monocoque fork increases the front stiffness and the control of the bike.



## **ULTRA LIGHT WINGED DROPOUTS.**

Forged stainless steel 316L tig welded dropouts. Beside an attractive design inspired to the Cinelli winged logo, these handcraft dropouts enable an easy-wheel fitting, furthermore the integrated hanger guarantees a fast and ultra precise shifting in any conditions. Completely hand built, in Italy.



## **OVERSIZE HEADTUBE**

Oversized 44mm head tube to join the 1,5" Columbus Futura Caliper monocoque fork.



## FRAME SPECS




**color option: magic mirror**

# FRAME SPECS

## DESCRIPTION

SIZES	XS (45) - S (48) - M (50) - L (53) - XL (56) - Made to Measure
MATERIAL	COLUMBUS XCr Tubeset
HEADSET	ZS 44/28.6   EC 44/40
SEAT POST	Ø 31,6 mm
SEAT CLAMP	Integrated
BB SHELL	BSA 68mm
F/DERAILLEUR	Clamp Ø33mm
CABLE ROUTING	External
COLOR	Red Matador/Magic Mirror
TIRE CLEARANCE	up to 700x28c
FORK	COLUMBUS FUTURA CALIPER 1-1/8" - 1-1/2" Tapered Carbon Monocoque
WEIGHT	Frame 1650 g (size M) - Fork 350g
BRAKE	Standard road caliper
DROPOUTS ST	Front QR 100mm Rear QR 130mm
FRAME KIT	Frame / Fork / F derailleur Clamp

## GEOMETRY



Misura Size	S1	S	T1	T	H/T	a°	b°	R	C	F	WB	E	Fork	St.Ov.	Stack	Reach
XS	450	415	515	498	98	71,5	74,5	45	403	570	962	73	368	725	491	378
S	480	435	525	509	104	72	74	45	405	572	966	73	368	738	498	382
M	500	465	545	530	121	73	73,5	45	405	579	974	71	368	762	516	390
L	530	495	560	544	139	73,5	73	45	408	583	981	71	368	787	535	396
XL	560	525	580	564	172	73,5	72,5	45	408	599	997	68	368	816	560	403